## Section 1 – Identification

Product Name: Purple corrector Gel Manufacturer: Nanchang Smile Technology Co., Ltd

Room 1201, 12th Floor, MSQ Building, No. 888 Gaoxin South Avenue,

Qingshan Lake District, Nanchang 330096, Jiangxi, China

Active Ingredient: Red33 and blue1: 1% Information Contacts: (0086) 0791-88167256

**Emergency Phone Numbers:** China (0086) 13970981079

Family: Teeth Whitening gel

**Product Use:** Professional Dental Whitening Gel

# Section 2 – Hazards Identification

#### EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

• Will cause eye irritation.

Ingestion

- May cause skin irritation (depending on duration of exposure).
- Prolong exposure may cause respiratory system irritation or burns.
- Ingestion of large amounts may cause nausea, vomiting, headaches, or dizziness.
- Weak Oxidizer that is stable under normal conditions.





## Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry Inhalation, skin, and ingestion.

Eye Vapors are irritating to the eyes. Splashes will cause redness / burning sensation of the eye. Possible

corneal injury.

Skin Repeated/prolonged contact may cause irritation of the skin. Symptoms include redness, burning, or

itching.

Swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing

large amounts is harmful. Symptoms include irritation of the throat, nausea, dizziness, and upset

stomach.

Inhalation If fine mist is inhaled, irritation / burning of the respiratory tract will occur.

NOTE: Refer to Section 11, Toxicological Information for Details

### Section 3 – Composition/Information on Ingredients

<b>Chemical Name</b>	INCI Name	CAS	EINECS	Content
Glycerol	Glycerin	56-81-5	200-289-5	45%
Deionized Water	Water	/	/	27.5%
Carbomer	Carbomer	9007-20-9	618-435-5	2%
Xylitol	Xylitol	87-99-0	201-788-0	1%
Sodium Saccharin	Sodium Saccharin	128-44-9	204-886-1	0.4%
2-Phenoxyethanol	2-Phenoxyethanol	122-99-6	204-589-7	0.6%
Sodium pyrophosphate	Sodium pyrophosphate	7722-88-5	231-767-1	1%
Red 33	Red 33	3567-66-6	/	0.2%
Blue 1	Blue 1	16521-38-3	240-589-3	0.8%
Sodium Hydroxide	Sodium Hydroxide	1310-73-2	215-185-5	1%
Menthol	Menthol	89-78-1	201-939-0	0.5%

## Material Safety Data Sheet

Purple corrector Gel

Page 2 of 5

Sorbitol	Sorbitol	50-70-4	200-061-5	20
----------	----------	---------	-----------	----

#### (items in parenthesis relate to 1999/45/EC)

Glycerol: Danger Symbol - GHS07 (Xi) Precautionary Statement - P404 (S7), P403+ 235 (S3/9) Hazard Statement – H315 (R38), H319 (R36) Sodium Hypochlorite: Danger symbol – GHS03 (O), GHS05 (C), GHS07 (Xi) Hazard Statement - H271 (R9), H332 (R20), H302 (R22), H314 (R34) Precautionary Statement -P102 (S2), P210 (S16), P220 (S17), P221 (S50), P280 (S36/37/39), P283 (S36/37/39), P306+360 (S27), P371+380+375 (N/A),

P370+378 (S43), P501 (S56)

See Section 16 for Hazard and Precautionary Statement Key.

#### Section 4 – First Aid Measures

Immediately flush with water for 15 minutes, including under eyelids. Get medical help if discomfort First Aid for Eye

persists.

Wash thoroughly with soap and water. Remove contaminated clothing. Get medical help if discomfort First Aid for Skin

persists. People with pre-existing skin disorders or eye problems or impaired respiratory function may

be more susceptible to the effects of the substance.

If greater than normal dose is swallowed, do not induce vomiting. Drink large quantity of water or milk. First Aid for Ingestion

Seek medical attention.

Move to fresh air. If having breathing difficulty, give oxygen. Seek medical attention if discomfort First Aid for Inhalation

persists.

### Section 5 – Fire Fighting Measures

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A	N/A	N/A

Method:

Water spray may be used to extinguish surrounding fire and cool exposed containers. Water spray may Extinguishing Media:

also reduce fumes and irritating gases.

Fire Fighting General: Evacuate all personnel. Use self-contained breathing apparatus (SCBA) and full protective

**Instructions:** clothing to prevent exposure when the product is involved in a fire.

Under fire conditions this product may emit toxic and / or irritating fumes and gases which aid Unusual Hazards:

combustion.

#### Section 6 – Accidental Release Measures

Minor spills - Clean up immediately, and wear appropriate personal protective equipment and clothing to minimize exposure. Place inert absorbent material onto spillage. Collect the material and place into a suitable labeled container.

Clean contaminated area with soap and water.

Spill or Release Procedures

Major spills - Clear area of personnel. Restrict access to area. Wear appropriate personal protective equipment. Make sure area is well ventilated prior to cleanup. Place inert absorbent material onto spillage. Collect the material and place into a suitable labeled container. Mop / wipe area with soap and water. Do not allow spill to reach waterway, drains, and sewers. See section 8 & section 12.

### Section 7 – Handling and Storage

Limit all unnecessary personal contact; avoid accidental contact; wear appropriate PPE. Handling

Store in a cool, well ventilated area away from heat, sparks and flame. Keep containers closed when not

Storage in use. Keep in original container provided by manufacturer. Avoid sunlight. Store according to local

legislation. Ideally, keep refrigerated.

Explosion Hazard None.

### Section 8 – Exposure Controls / Personal Protection

Engineering General exhaust is adequate under normal operating conditions. Controls

### Personal Protective Equipment

To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a

hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard

EN166 be conducted before using this product.

Eye/ Face

General

Operator should wear safety glasses with side shields or chemical goggle. Ensure eye bath is on hand. Protection

**Skin Protection** 

Operator should use impermeable clothing to prevent ANY skin contact with this product, such as gloves,

apron, boots, or cotton overalls.

Respiratory Protection

In case of insufficient ventilation (lack of engineering controls), wear suitable respiratory equipment.

### Section 9 – Physical and Chemical Properties

Appearance Gel		Odor & Odor Thresho Minty and Aloe	old PH 5~8		ific Gravity O = 1): N/A	Viscosity N/A		olatile J/A
Boiling Point/ Freezing Point	Decomposit Temperatu		oefficient Pro	<sup>7</sup> apor essure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/A	N/A		N/A	N/A	N/A	N/A	N/A

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)	
N/A	N/A	N/A	

## Section 10 – Stability and Reactivity

**Stability: Incompatibility (Materials to Avoid):** 

Stable under normal conditions Keep away from combustible liquids; strong acids / bases

**Hazardous Decomposition Products:** 

**Hazardous Polymerization:** Release of toxic / irritating fumes which are Will not occur

capable of supporting combustion

Conditions to Avoid: Heat, incompatible materials, and sunlight

# Section 11 – Toxicological Information

<b>Acute Oral Toxicity</b>	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation – skin	Irritation – Eye
N/A	N/A	N/A	N/A	N/A

Sensitization		Mutagenicity	Sub-chronic Toxicity	
	N/A	N/A	N/A	

### Section 12 – Ecological Information

**Ecotoxicological Information** 

Acute Toxicity to	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to
Fish				Sewage Bacteria
N/A	N/A	N/A	N/A	N/A

#### **Chemical Fate Information**

Biodegradability	N/A
Chemical Oxygen Demand	N/A

## Section 13 – Disposal Considerations

Dispose of in compliance with governmental regulation (state and federal). Repeatedly rinse empty containers with water before disposing in landfill.

Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

## Section 14 – Transport Information

DOT (49 CFR 172)	
Proper Shipping Name:	Non-regulated material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	N/A
Emergency Response Guidebook (ERG) #:	
IATA (DGR):	Non-regulated material
Proper Shipping Name:	N/A

Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	N/A
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	Non-regulated material
Proper Shipping Name:	N/A
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	N/A
Emergency Schedule (EmS)#:	
Other Information:	N/A

## Section 15 – Regulatory Information

**US Federal Regulations** 

US Feucial Regulations	
Clean Air Act: HAP/ODS	This product contains the following HAP's or ODS:  None
Clean Water Act: Priority Pollutant	This product contains the following chemicals listed under the U. S. Clean Water Act Priority Pollutant and Hazardous Substance List:  None
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other applications as an indirect food-packaging additive.
Occupational Safety and Health Act	This product is considered to be hazardous under the OSHA Hazard Communication Standard.  It's hazards are:  None
RCRA	This product contains the following chemicals considered to be hazardous waste under RCRA ( 40 CFR 261).  • None
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous substances.
SARA Title III: Section 302 (TPQ)	This product contains chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List):  None
SARA Title III: Section 311-312:	This product is considered to be hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). It's hazards are:  • Sodium Hypochlorite CAS #7681-52-9 ((Corrosive)
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:  • None
TSCA Section 8(b): Inventory:	This product does contain chemicals listed on the TSCA inventory or otherwise complies with TSCA pre-manufacture notification requirements.
TSCA Significant New Use Rule:	None None of the chemicals in this material have a SNUR under TSCA.

#### **International Regulations**

European Community:

CDSL: Canadian Inventory		None		
(on Canadian Transitional List)	•			

### Labeling according to EC directives – 1272/2008 {CLP} AND 1999/45/EC (items in parenthesis relate to 1999/45/EC)

**!** 



For Sodium Hypochlorite Teeth Whitening gel(finished product):

- Danger Symbols: GHS07 (Xi) Warning / Irritant
- HAZARD STATEMENT: **H316** (N/A), Causes mild skin irritation. **H319** (R36), Causes serious eye irritation. **H335** (R37), May cause respiratory irritation. **H303** (N/A), May be harmful if swallowed.
- PRECAUTIONARY STATEMENT: P102 (S2), Keep out of reach of children. P261(S24), Avoid breathing dust/fume/gas mist/vapour sprays. P280 (S36/37/39), Wear protective gloves/clothing/eye protection/face protection. P309+314 (S45), If exposed or you feel unwell, get medical advice/attention.

#### Section 16 – Other Information

#### EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):

#### (items in parenthesis relate to 1999/45/EC)

**Danger Symbols:** 


GHS07 (Xi) – Warning / Irritant. GHS03 (O) – Oxidizer. GHS05 (C) – Corrosive

**Hazard Statement:** 

H271 (R9) – May cause fire or explosion; strong oxidizer. H301 (R25), Toxic if swallowed. H315 (R38), Causes skin irritation. H316 (N/A), Causes mild skin irritation. H318 (R41) Causes serious eye damage. H319 (R36), Causes serious eye irritation. H32 (R20), Harmful if inhaled. H302 (R22), Harmful if swallowed. H314 (R34), Causes severe skin burns and eye damage. H303 (N/A), May be harmful if swallowed Precautionary Statement:

P102 (S2), Keep out of reach of children. P260 (S23), Do not breathe dust/fume/gas/mist/vapors/spray. P261 (S24), Avoid breathing dust/fume/gas mist/vapor sprays. P262 (S25), Do not get in eyes, on skin, or on clothing. P280 (S36/37/39), Wear protective gloves/clothing/eye protection/face protection. P309+314 (S45), If exposed or you feel unwell, get medical advice/attention. P404 (S7), Store in a closed container. P403+235 (S3/9), Store in a well ventilated place. Keep cool. P210 (S16), Keep away from heat/sparks/open flames/ hot surfaces – no smoking. P220 (S17), Keep/store away from clothing/combustible materials. P221 (S50), Take any precaution to avoid mixing with combustibles. P283 (S36/37/39), Wear fire resistant / retardant clothing. P305+360 (S27), If on clothing, rinse immediately contaminated clothing and skin with plenty of water before removing clothing. P371+380+375, (N/A), In case of major fire and large quantities, evacuate area, fight fire remotely due to risk of explosion. P370+378 (S43), In case of fire, use water for extinction. P501 (S56), Dispose of contents / container properly. P361 (S27), Remove/ Take off immediately all contaminated clothing. P301+315 (S46), If swallowed, get immediate medical advice / attention.

Hazard Rating System (Pictograms)



The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable.

The components are provided on an as is basis without warranties of any kind either expressed or implied. It does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said the components.